

Pool and Spa Fencing Affidavit



Engineering and Development Services 14455 W. Van Buren St, Bldg D, Goodyear, AZ 85338 (623) 932-3004, Opt. 2

Residences with occupant's younger than six years of age must comply with both the City of Goodyear Ordinance and Arizona State Statute (ARS §36-1681) requirements for pool enclosures. After reviewing the requirements, please complete the bottom portion of this form and include with the pool and / or spa submittal.

Print Name of Tenant / Resident: _____

Property Address: _____

There are currently residents younger than six years of age residing at the above address:

Yes

No

If a residence or living area constitutes part of the enclosure required for a swimming pool or other contained body of water, and children under the age of six reside in the home, please mark one of the following to indicate how compliance will be achieved:

- Between the swimming pool or other contained body of water and the residence or living area, a minimum five foot wall, fence or barrier to the pool area which meets all of the requirements will be constructed.
- The pool shall be protected by a motorized safety pool cover which requires the operation of a key switch which meets the American Society of Testing and Materials Emergency Standards 13-89 and which does not require manual operation other than the use of the key switch.
- All ground-level doors or other doors with direct access to the swimming pool or other contained body of water shall be equipped with a self-latching device which meets the requirements. Emergency escape or rescue windows from sleeping rooms with access to the swimming pool or other contained body of water shall be equipped with a latching device not less than fifty-four inches above the floor. All other openable dwelling unit or guest room windows with similar access shall be equipped with a screwed in place wire mesh screen, or a keyed lock that prevents opening the window more than four inches, or a latching device located not less than fifty-four inches above the floor.
- The swimming pool shall be an aboveground swimming pool, which has non-climbable exterior sides that are a minimum height of four feet. Any access ladder or steps shall be removable without tools and secured in an inaccessible position with a latching device not less than fifty-four inches above the ground when the pool is not in use.

I have read the City of Goodyear Ordinance, and Arizona State Statute (ARS §36-1681) requirements for pool enclosures. I agree to have all requirements in place prior to requesting a pre-plaster inspection.

Signature / Date

Signature / Date